



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

538-337

Date of Issuance:

10/4/19

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

SOUTHERN TURF BUILDER
WEED & FEED P&D

Name and Address of Registrant (include ZIP Code):

Laura M. Briggs
The Scotts Company
14111 Scottslawn Road
Marysville, Ohio 43041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Emily Schmid, Acting Product Manager 25
Herbicide Branch, Registration Division (7505P)

Date:

10/4/19

2. You are required to comply with the data requirements described in the DCI identified below:
 - a. Penoxsulam GDCI - 119031-1656
 - b. Dicamba GDCI – 029801-1659

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
4. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 538-337.”
5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 10/12/2017
- Alternate CSF A dated 10/12/2017

If you have any questions, please contact Grant Rowland by phone at 703-347-0254, or via email at rowland.grant@epa.gov


Enclosure

Southern Turf Builder Weed & Feed P & D

Optional Company Identifier: Scotts®

Alternate Brand Names:

Step 1 Southern
Step 3 Southern
Step 4 Southern
Step 1 S Lawn Food Plus Weed Control
Step 3 S Lawn Food Plus Weed Control
Step 4 S Lawn Food Plus Weed Control
Turf Builder Annual Program S Early Spring
Turf Builder Annual Program S Fall
Turf Builder Southern Early Spring
Turf Builder Southern Fall
Turf Builder So Early Spring
Turf Builder So Fall
Turf Builder Bonus S 3
Turf Builder Weed and Feed So



Optional Product Descriptors:

Weed-and-Feed
Southern Weed & Feed
Weed & Feed
Lawn Food plus Weed Control
Early Spring
Fall

Active Ingredients:

penoxsulam: 2-(2,2-difluoroethoxy)-N-(5,8-dimethoxy[1,2,4] triazolo[1,5c]pyrimidin-2-yl)-6-(trifluoromethyl)benzenesulfonamide [†]	0.03%
dicamba: 3,6-dichloro-o-anisic acid ^{††}	0.07%
Other Ingredients	99.90%
Total	100.00%

Acid equivalent: dicamba – 0.07% - 1.5 lb/ton

[[†]CAS# 219714-96-2]

[^{††}CAS# 1918-00-9]

KEEP OUT OF REACH OF CHILDREN CAUTION

See [back/side/top/bottom] [panel/label/booklet] for additional precautionary statements.
[See back for directions.]

Covers/treats/feeds/fertilizes XXX sq ft/XX ft x XX ft
Coverage denoted by "X" will be added to the FPL

NET WEIGHT/WT: XX LB (XX kg)

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION: Causes Moderate Eye Irritation. Avoid contact with eyes, skin or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-543-8873 for emergency medical treatment information.

Environmental Hazards

Do not apply to water. Do not contaminate water when disposing of washwaters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent runoff to water bodies or drainage systems.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Option 1

Treatment on Turfgrass Species Not Listed on the Label for Southern Turf Builder Weed & Feed P & D Users who wish to use Southern Turf Builder Weed & Feed P & D on turfgrass species not listed on this label may determine the suitability for use by treating a small area at a specified rate. Prior to treatment of larger areas, the treated area should be observed for any sign of herbicidal injury during 30 days of normal growing conditions to determine if the target turfgrass species is tolerant. Applications should not be made to turfgrass under stress. The user assumes responsibility for any plant damage or other liability resulting from use of Southern Turf Builder Weed & Feed P & D on turfgrass species not listed on this label.

Southern Turf Builder Weed & Feed P & D is recommended for use on the following established turfgrass species (numbers in parentheses (-) refer to footnotes below):

Established Cool Season Turfgrass (1)

annual bluegrass
bentgrass
bluegrass, Kentucky
fescue, chewing

Established Warm Season Turfgrass (3)

bermudagrass (common or hybrid)
centipedegrass (4)
fescue, tall (growing in warm season areas) (2)
kikuyugrass

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text. Text separated by / denotes and/or options.

fescue, creeping red	seashore paspalum
fescue, sheeps	St. Augustinegrass
fescue, tall (2)	zoysiagrass
ryegrass, perennial (2)	

1. Use no more than 3.2 lb of Southern Turf Builder Weed & Feed P & D per 1000 sq ft per application.
2. Use Southern Turf Builder Weed & Feed P & D on these species at a maximum rate of 1.7 lb per 1000 sq ft per application and only if some injury can be tolerated. A slight yellowing of turfgrass may occur within two weeks of application. The discoloration is temporary and is generally gone within four weeks of treatment under adequate growing conditions.
3. Use no more than 4.6 lb of Southern Turf Builder Weed & Feed P & D per 1000 sq ft per application.
4. Do not apply to centipede grass during the period of winter dormancy. Grass should be green and actively growing at application.

Weeds Controlled or Suppressed

Generally, application rates at the lower end of the rate range will be satisfactory for young, succulent growth of sensitive weed species. For less sensitive species and under conditions where control is more difficult (plant stress conditions such as drought or extreme temperatures, dense weed stands and/or larger weeds), the higher rate within the rate range or repeat applications will be needed. Weeds growing in the absence of competition from other vegetation generally require higher rates or repeat applications to obtain satisfactory control or suppression.

Weeds Controlled or Suppressed		Rate
		lb/1000 sq ft
burdock burnweed, American buttercup, hairy chickweed, common chickweed, mouseear clover, hop clover, red clover, white cocklebur, common coffeeweed common vetch creeping beggarweed curly dock dandelion, common dollarweed dwarf beggarweed eclipta English lawn daisy false dandelion Florida betony Florida pusley goldenrod hawkweed healall henbit ivy, ground	knotweed lambsquarters lespedeza, common matchweed medic, black parsley-piert peppergrass plantain, broadleaf plantain, buckhorn purslane, common ragweed, common round leaf mallow sheep sorrel shepherds purse smartweed speedwell, common spotted catsear spurge, spotted spurweed thistle Virginia buttonweed ¹ Virginia pepperweed wild violet woodsorrel, creeping woodsorrel, yellow	[Editor's note: Supplemental distributor to choose rate or rate range based upon setting(s) chosen from spreader settings table below.]
kyllinga, annual and green (suppression only) ¹	nutsedge, purple and yellow (suppression only) ¹	

¹Re-treatment may be necessary

How to Apply

Apply Southern Turf Builder Weed & Feed P & D using a drop or rotary-type spreader designed to apply granules. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or turfgrass injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first.

To optimize product performance, mow the turfgrass two to three days before applying Southern Turf Builder Weed & Feed P & D. If the turfgrass is under moisture stress, a thorough sprinkler irrigation of at least 1/2 inch may be needed at least one to two days before application. For optimal results, apply Southern Turf Builder Weed & Feed P & D in the morning when dew is present. If necessary, sprinkler irrigate with less than 1/4 inch of water just prior to application to maximize particle adherence to leaf surfaces. Avoid watering of treated area for 24 hours following application. Avoid making applications if rainfall is expected within 24 hours after treatment.

Application Techniques for Applying Southern Turf Builder Weed & Feed P & D

- When using a drop-type spreader, a splashboard mounted under the hopper will provide more even granule distribution.
- A chain fastened to the side of the spreader and allowed to drag on the soil surface can be used to mark the edge of the treated swath and help prevent skips or overlaps.
- For treating smaller areas, a hand held or push-type rotary applicator such as a whirlybird or cyclone unit is recommended. For hand held units, walk and turn the crank at a constant rate of speed.
- A shaker-type applicator made from a small container with holes punched in the bottom is recommended for small, difficult to treat areas. Carefully measure the amount of product needed to avoid over application.

How Much to Apply

Apply Southern Turf Builder Weed & Feed P & D to established turfgrass. Possible re-treatment in approximately 30 days may be necessary if turfgrass is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed specified rates because damage to turfgrass may occur. Do not make more than two applications per season.

Note: When applying to warm season turfgrass under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration. It is recommended to reduce application rates by 50% during hot, dry conditions to avoid possible dehydration or browning of turfgrass.

Broadcast Rates for Southern Turf Builder Weed & Feed P & D

Bag Size	Rate		Treated Area	
	lb	lb/acre	acre	sq ft
15	75	1.7	0.20	8,700
	150	3.4	0.10	4,400
	200	4.6	0.08	3,500
16	75	1.7	0.21	9,200
	150	3.4	0.11	4,800
	200	4.6	0.08	3,500

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text. Text separated by / denotes and/or options.

17	75	1.7	0.23	10,000
	150	3.4	0.11	4,800
	200	4.6	0.09	3,900
18	75	1.7	0.24	10,500
	150	3.4	0.12	5,200
	200	4.6	0.09	3,900
20	75	1.7	0.27	11,800
	150	3.4	0.13	5,700
	200	4.6	0.10	4,400
30	75	1.7	0.40	17,400
	150	3.4	0.20	8,700
	200	4.6	0.15	6,500
40	75	1.7	0.53	23,000
	150	3.4	0.27	11,800
	200	4.6	0.20	8,700
45	75	1.7	0.60	26,000
	150	3.4	0.30	13,000
	200	4.6	0.23	10,000
50	75	1.7	0.67	29,000
	150	3.4	0.33	14,400
	200	4.6	0.25	10,900

When to Apply

Best weed control results are obtained when Southern Turf Builder Weed & Feed P & D is applied to small, actively growing weeds in the spring or early fall. Extreme growing conditions such as drought or near freezing temperatures prior to, at, or following time of application may reduce weed control. Broadleaf weed species germinate at different times.

This product may also be applied to newly established warm season turfgrass. Delay treatments four weeks after sodding, sprigging or plugging.

Option 2- Directions for Use Quick Start Guide

[Insert company name] Quick Start Guide

[You're just three/four/a few [simple/easy] steps away from a beautiful ***insert company name*** lawn]

[ICON – Spreader/Dial]

[1.] Fill & Set Spreader

[Insert company name] Broadcast/Rotary Spreaders] [X]

[Insert company name] Drop Spreaders] [X]

[Use only with ***insert company name*** spreaders/applicators.]

[Insert company name] products are designed to work with ***insert company name*** spreaders/applicators.]

[For additional spreader settings, [please] call ***insert company phone number.***]

[Depending on the turfgrass species, this package applies 1.7 –4.6 lb of product per 1,000 sq ft][See spreader settings]

[ICON – Spreader/Lawn]

[2.] Apply

For even application walk at a steady pace slightly overlapping each pass.

Scotts Drop Spreaders: Align hopper arrow with previous wheel track.

Scotts Broadcast/Rotary Spreaders: Line up each pass approximately 5 ft from wheel track.

Apply when grass and weeds are actively growing.

For best results apply in the morning when dew is present.

Avoid watering for 24 hours after application.

Avoid making applications if rainfall is expected within 24 hours after treatment.

[ICON – Broom]

[3.] Clean-Up

Sweep product from hard surfaces onto the lawn [to keep valuable feeding nutrients on the grass.]

[ICON – lower legs stepping onto grass] [4.] You're Done! What's Next?

Do not allow people or pets to enter treatment areas until dust settles.

Treatment on Turfgrass Species Not Listed on the Label for Southern Turf Builder Weed & Feed P & D

Users who wish to use Southern Turf Builder Weed & Feed P & D on turfgrass species not listed on this label may determine the suitability for use by treating a small area at a specified rate. Prior to treatment of larger areas, the treated area should be observed for any sign of herbicidal injury during 30 days of normal growing conditions to determine if the target turfgrass species is tolerant. Applications should not be made to turfgrass under stress. The user assumes responsibility for any plant damage or other liability resulting from use of Southern Turf Builder Weed & Feed P & D on turfgrass species not listed on this label.

Southern Turf Builder Weed & Feed P & D is recommended for use on the following established turfgrass species (numbers in parentheses (-) refer to footnotes below):

Established Cool Season Turfgrass (1)

annual bluegrass

bentgrass

bluegrass, Kentucky

fescue, chewing

fescue, creeping red

fescue, sheeps

fescue, tall (2)

ryegrass, perennial (2)

Established Warm Season Turfgrass (3)

bermudagrass (common or hybrid)

centipedegrass (4)

fescue, tall (growing in warm season areas) (2)

kikuyugrass

seashore paspalum

St. Augustinegrass

zoysiagrass

1. Use no more than 3.2 lb of Southern Turf Builder Weed & Feed P & D per 1000 sq ft per application.
2. Use Southern Turf Builder Weed & Feed P & D on these species at a maximum rate of 1.7 lb per 1000 sq ft per application and only if some injury can be tolerated. A slight yellowing of turfgrass may occur within two weeks of application. The discoloration is temporary and is generally gone within four weeks of treatment under adequate growing conditions.
3. Use no more than 4.6 lb of Southern Turf Builder Weed & Feed P & D per 1000 sq ft per application.
4. Do not apply to centipede grass during the period of winter dormancy. Grass should be green and actively growing at application.

Weeds Controlled or Suppressed

Generally, application rates at the lower end of the rate range will be satisfactory for young, succulent growth of sensitive weed species. For less sensitive species and under conditions where control is more difficult (plant stress conditions such as drought or extreme temperatures, dense weed stands and/or larger weeds), the higher rate within the rate range or repeat applications will be needed. Weeds growing

in the absence of competition from other vegetation generally require higher rates or repeat applications to obtain satisfactory control or suppression.

Weeds Controlled or Suppressed		Rate
		lb/1000 sq ft
burdock burnweed, American buttercup, hairy chickweed, common chickweed, mouseear clover, hop clover, red clover, white cocklebur, common coffeeweed common vetch creeping beggarweed curly dock dandelion, common dollarweed dwarf beggarweed eclipta English lawn daisy false dandelion Florida betony Florida pusley goldenrod hawkweed healall henbit ivy, ground	knotweed lambsquarters lespedeza, common matchweed medic, black parsley-piert peppergrass plantain, broadleaf plantain, buckhorn purslane, common ragweed, common round leaf mallow sheep sorrel shepherds purse smartweed speedwell, common spotted catsear spurge, spotted spurweed thistle Virginia buttonweed ¹ Virginia pepperweed wild violet woodsorrel, creeping woodsorrel, yellow	[Editor's note: Supplemental distributor to choose rate or rate range based upon setting(s) chosen from spreader settings table below.]
kyllinga, annual and green (suppression only) ¹	nutsedge, purple and yellow (suppression only) ¹	

¹Re-treatment may be necessary

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in cool dry place in original container.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Spreader Setting Options

SPREADER SETTING INFORMATION

Note to PM: The following are optional formats to present spreader setting information.

Appropriate spreader settings, spreader brand names, and coverage will be inserted on Final Printed Label

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text. Text separated by / denotes and/or options.

Spreader	Settings for Spreader ^{1,2}		
	Rate of Southern Turf Builder Weed & Feed P & D		
	1.7 lb/1000 sq ft	3.4 lb/1000 sq ft	4.6 lb/1000 sq ft
XX	XX	XX	XX

¹Assume 3 mph walking speed.

²It is recommended that you calibrate your spreader before application since manufacturer's settings can vary among the same model of spreader.

Spreading Tips

[For best results, use a Scotts spreader:]

Scotts/*insert brand name* Drop:

[Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or stopped.]
 (ILLUS.)

Scotts EasyGreen™/*insert brand name* Rotary:

[Shut off spreader anytime you stop. For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.]
 (ILLUS.)

Scotts SpeedyGreen™/*insert brand name* Rotary:

[Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.]
 (ILLUS.)

Spreader Setting (covers X,XXX sq ft)

[Spreader]	Spreader Setting Covers X,XXX sq ft	Directions
Scotts/ <i>insert brand name</i> Drop Spreader	X	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks
Scotts EasyGreen® / <i>insert brand name</i> Rotary	X	Make each pass about XX inches from previous pass to overlap spread width
Scotts SpeedyGreen® / <i>insert brand name</i> Rotary	X	Make each pass about X feet from previous pass to overlap spread width

For even application, walk at a steady pace slightly overlapping each pass.

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

[Use [only] with Scotts spreaders.]

[Scotts products are designed to work with Scotts spreaders.]

How This Product Works

Southern Turf Builder Weed & Feed P & D herbicide is a stable combination of two herbicides. It provides postemergence control of annual, biennial and perennial broadleaf weeds in established home lawns and other recreational turfgrass areas.

Use Precautions

- Avoid making applications if rainfall is expected within 24 hours [after application]
- The active ingredient in this product may leave residues in treated grass clippings which could be harmful to some plants and trees. Do not collect treated grass clippings for use as mulch around plants. The applicator must notify in writing the appropriate residences/individuals of this precaution when this product is applied by a lawn service/commercial applicator.
- To minimize the potential for turfgrass injury, allow four weeks between applications.
- Avoid unnecessary disturbances, including watering and mowing, for approximately 24 hours after application.
- Use Southern Turf Builder Weed & Feed P & D on solid (monoculture) stands of perennial ryegrass or tall fescue at a maximum rate of 1.7 lb per 1000 sq ft. Some yellowing of these turfgrasses may occur within two weeks of application. Any discoloration is temporary and will dissipate under adequate growing conditions.
- Apply Southern Turf Builder Weed & Feed P & D to newly seeded or sprigged turfgrass only after the third mowing or after the turfgrass seedlings have developed an adequate secondary root system. Reseeding is not recommended for at least three to four weeks after application.

Use Restrictions

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until dusts have settled.
- Do not apply Southern Turf Builder Weed & Feed P & D on dichondra, carpetgrass, bahiagrass, or to turfgrass containing desirable clovers.
- Do not apply Southern Turf Builder Weed & Feed P & D directly to, or otherwise permit Southern Turf Builder Weed & Feed P & D to come into contact with, flowers, ornamental shrubs or trees, or other desirable broadleaf plants, as serious plant injury may occur.
- Do not apply to centipedegrass during the period of winter dormancy. Grass should be green and actively growing at the time of application.
- Use no more than 3.2 lb of Southern Turf Builder Weed & Feed P & D per 1000 sq ft per application on established cool season turfgrass.
- Use Southern Turf Builder Weed & Feed P & D on tall fescue and perennial ryegrass at a maximum rate of 1.7 lb per 1000 sq ft per application and only if some injury can be tolerated.
- Do not apply more than 4.6 lb of Southern Turf Builder Weed & Feed P & D per 1000 sq ft per application.
- Do not apply more than 6.9 lb of Southern Turf Builder Weed & Feed P & D per 1000 sq ft per year.
- Do not make more than two applications per season.

OPTIONAL FERTILIZER GUARANTEE INFORMATION

The following table may be used in whole or in part. Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.

GUARANTEED ANALYSIS

Product Name

XX-XX-XX (*insert N-P-K ratio*)

FXXX (*insert FL Fertilizer License No.*)

Total nitrogen (N)

XX%

X.X% ammoniacal nitrogen

X.X% urea nitrogen

X.X% other water soluble nitrogen*

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text. Text separated by / denotes and/or options.

X.X%	water insoluble nitrogen	
	Available phosphate (P ₂ O ₅)	X%
	Soluble potash (K ₂ O)	X%
	Calcium (Ca)	X%
	Magnesium (Mg) (Total)	X%
X.X%	water soluble magnesium (Mg)	
X.X%	chelated magnesium (Mg)	
	Sulfur (S)	X%
X.X%	combined sulfur (S)	
X.X%	free sulfur (S)	
	Boron (B) (Total)	X%
	Copper (Cu) (Total)	X%
X.X%	water soluble copper (Cu)	
X.X%	chelated copper (Cu)	
	Iron (Fe) (Total)	X%
X.X%	water soluble iron (Fe)	
X.X%	chelated iron (Fe)	
	Manganese (Mn) (Total)	X%
X.X%	water soluble manganese (Mn)	
X.X%	chelated manganese (Mn)	
	Zinc (Zn) (Total)	X%
X.X%	water soluble zinc (Zn)	
X.X%	chelated zinc (Zn)	
	Chlorine, not more than	X%

Derived from: ammonium phosphate/urea/methyleneureas/potassium sulfate/ammonium sulfate/muriate of potash/polymer-coated sulfur-coated urea/potassium chloride/dolomite.

*Contains X.X% slowly available methylenediurea/dimethylenetriurea nitrogen/water insoluble nitrogen.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com> or <http://www.aapfco.org/metals.html>

Optional State Specific Fertilizer Language

It is a violation of law in Maryland and New Jersey to apply this product to turf at a rate that results in greater than 0.7 lb per 1,000 sq. ft. of readily available nitrogen or more than 0.9 lb per 1,000 sq. ft. of total nitrogen with a least 20% of which shall consist of slow release nitrogen per application. Additional restrictions apply to total nitrogen applied to turf per season. Other state and local restrictions may apply. [Maryland or New Jersey Applications]

No more than 0.7 lb per 1,000 sq. ft. of readily available nitrogen during any given 30 day period. No more than 0.9 lb (cool season grasses) or 1.0 lb (warm season grasses) per 1,000 sq. ft. of total nitrogen with a least 20% of which shall consist of slow release nitrogen during any given 30 day period. [Virginia Applications]

Do not apply near water storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn. [Maryland Applications]

It is a violation of law in Maryland, New Hampshire, and New Jersey to apply this product to turf at a rate that results in greater than 0.7 lb per 1,000 sq. ft. of readily available nitrogen or more than 0.9 lb per 1,000 sq. ft. of total nitrogen with a least 20% of which shall consist of slow release nitrogen per application. Additional restrictions apply to total nitrogen applied to turf per season. Other state and local restrictions may apply. [Maryland, New Hampshire, or New Jersey Applications]

This fertilizer contains phosphorus and may not be used on turf in the state of Maryland except when 1) providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory identified under §8-803.7 of the Agriculture Article, Annotated Code of Maryland, performed no more than 3 years before the application; 2) establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in

accordance with the recommended application rates established by the State; or 3) reestablishing or repairing a turf area. [Maryland Applications which contain Phosphorus] Not for use on established lawns or grass in MD. [If phos >5% and is not classified as a "starter" fertilizer]

In Virginia this lawn/turf fertilizer contains phosphorous and is only for nonagricultural use on (i) turf during its first growing season, (ii) on turf areas being repaired or renovated, and (iii) on turf where a soil test performed within the last 3 years indicates a phosphorous deficiency. This fertilizer is not for the routine maintenance of turf. [Virginia Applications which contain Phosphorus]

Optional Florida Fertilizer Application Language

[Florida] Annual Fertilizer Applications

On centipede lawns, do not exceed rate of 2 lb of Nitrogen per 1,000 sq ft in the north and 3 lb of Nitrogen per 1,000 sq ft in the central and south. On zoysia lawns, do not exceed rate of 3 lb of Nitrogen per 1,000 sq ft in the north.]

[North Florida is north of Ocala. Central Florida is defined as south of Ocala to a line extending from Vero Beach to Tampa. South Florida includes the remaining southern portion of the state.]

[Florida] Applications: [Do not exceed] 4 annual feedings [4 lb N/1000 sq ft] with the following exceptions: On centipedegrass do not exceed 2 feedings [2 lb N/1000 sq ft] in the north and 3 feedings [3 lb N/1000 sq ft] in the central and south. On zoysiagrass do not exceed 3 feedings [3 lb N/1000 sq ft] in the north.

North Florida is defined as north of a line extending from Cedar Key to Daytona Beach. Central Florida is defined as south of the line extending from Cedar Key to Daytona Beach to a line extending from Tampa to Vero Beach. South Florida includes the remaining southern portion of the state.

In Florida, 4 feedings may exceed the Nitrogen limits on certain grass types in some [geographic] areas.

Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices [for feeding your lawn.]

Check with your county or city government to determine if there are local regulations for fertilizer use.

One of the following statements will be added as appropriate for products registered in the state of Florida.

- Florida Applications: Do not exceed [3] [4] applications per year on bermudagrass in the north.
- Florida Applications: Do not exceed [4] applications per year on bermudagrass in central Florida.
- Florida Applications: Do not exceed [1] [2] applications per year on centipede grass in the north.
- Florida Applications: Do not exceed [2] [3] applications per year on centipede grass in [central Florida] [the south].
- Florida Applications: Do not exceed [2] [3] [4] applications per year on St. Augustinegrass in the north.
- Florida Applications: Do not exceed [2] [3] [4] applications per year on St. Augustinegrass in central Florida.
- Florida Applications: Do not exceed [4] applications per year on St. Augustinegrass in the south.
- Florida Applications: Do not exceed [3] [4] applications per year on zoysiagrass in the north.
- Florida Applications: Do not exceed [3] [4] applications per year on zoysiagrass in central Florida.
- Florida Applications: Do not exceed [4] applications per year on zoysiagrass in the south.

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text. Text separated by / denotes and/or options.

Annual Fertilization Guidelines for Established Turfgrass Lawns in Three Regions of Florida					
Nitrogen Recommendations (lbs N per 1000 sq. ft)*					
Species	Bahiagrass	Bermuda	Centipede	St. Augustine	Zoysia
North*					
Timing of Application :	Only Apply to Actively Growing Turf				
	Maximum Pounds N per Application				
Spring or Summer	2	2	2	2	2
Fall	1	1	1	1	1
Maximum Annual Pounds	2-3	3-5	1-2	2-4	2-3
Central*					
Timing of Application	Only Apply to Actively Growing Turf				
	Maximum Pounds N per Application				
Spring or Summer	2	2	2	2	2
Fall or Winter	1	1	1	1	1
Maximum Annual Pounds	2-4	4-6	2-3	2-5	2-4
South*					
Timing of Application	Only Apply to Actively Growing Turf				
	Maximum Pounds N per Application				
Spring or Summer	2	2	2	2	2
Fall or Winter	1	1	1	1	1
Maximum Annual Pounds	2-4	5-7	2-3	4-6	2.5-4.5

*North Florida is defined as north of a line extending from Cedar Key to Daytona Beach. Central Florida is defined as south of the line extending from Cedar Key to Daytona Beach to a line extending from Tampa to Vero Beach. South Florida includes the remaining southern portion of the state.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in a cool dry place out of the reach of children and domestic animals. Store in original container only.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-992-5994 for disposal instructions. Never place unused product down any indoor or outdoor drain.

Optional Label Claims

- [1/One] Simple Program [For/4/four] A Beautiful Lawn
- [Contains] XX% Slow Release Nitrogen [for extended feeding]
- [Delivers] important / necessary nutrition for your lawn
- [Early Spring/Spring/Summer/Fall/1/2/3/4/step/phase][Program Illustration]
- [Formulated] for centipede/St. Augustine lawns (or) [Formulated] for Centipede & St. Augustine lawns
- [Home Depot logo] Garden Club – ***Vigoro products are exclusively sold at Home Depot and the Garden Club Claim will only be used on Vigoro branded products***
- [icon] Garden Club
- [Just] One application kills tough weeds like [dandelion, dollarweed, clover, ...or insert any weed found in the approved weed list]
- [Program name]/works with the rhythm of the seasons for a better lawn
- [Scotts/Southern] x Step [Southern/s/Program]
- Ace Promise Satisfaction Guaranteed
- Annual Program [Southern/s]
- Apply [anytime] when weeds are actively growing
- Apply in [Early Spring/Spring/Fall]
- Apply in the fall to kill reoccurring [dandelion, dollarweed, clover, ...or insert any weed found in the approved weed list]
- Assembled in the USA (icon) Factory Certified
- Assembled in the USA with Foreign and/or Domestic Parts
- Assurance Particle Technology™
- Beautiful Lawns Since 1924
- Builds thick green lawns
- Can be applied to newly established warm season grass
- Can be used on newly planted grass
- Contains Iron for deep greening
- Contains Non-Burning Nitrogen
- Contains Non-Burning, Slow-Release Nitrogen and Iron for Deep Greening.
- Contains SCU [Sulfur Coated Urea]
- Contains Slow-Release Nitrogen
- Contains Time-Released Nitrogen for Extended Feeding
- Controlled [Slow] release nitrogen for extended feeding
- Controlled Release [Fertilizer] Technology feeds [lawn] for 2+ months
- CONTROLLED-RELEASE FERTILIZER
- Controls [tough] weeds [such as clover] [dandelion] [dollarweed] [henbit] [ground ivy] [plantain] [chickweed] [sedges] [Florida betony] [lespedeza] [knotweed]
- Deep greening [formula]
- Delivers a Long Lasting Feeding without Burning for a Stronger Greener Lawn
- Delivers quick greening plus consistent, extended nutrition for your lawn
- Early Spring
- Effective weed control - prevents weeds all season long
- Effective weed control leads to greener, thicker lawns
- ENGINEERED FOR PERFORMANCE
- Even feeding and greening
- Even feeding... [for] even greening... with no burn... guaranteed[!]
- Even particle distribution for even feeding and greening
- Everything you need in one simple program
- Expert Gardener is a registered trademark of Wal-Mart Stores, Inc., Bentonville, AR 72716
- Fall
- Feeds [and strengthens] root systems without burning your lawn
- Feeds [X,XXX] sq ft

- Feeds 2x longer than ***[insert product name] [insert brand name] – Complete registered Swiss Farms product name will be inserted***
- Feeds 2X longer!* *than Vigoro Lawn Fertilizer
- Feeds and strengthens root systems without burning your lawn
- Feeds for up to X months
- Feeds for X months guaranteed
- Fertilize once for [the whole season] – ***or –*** [2 / 3 / 4 / 5 / 6 months]. ***[Insert Product Name]*** feeds and greens with slow release fertilizer for up to 2 / 3 / 4 / 5 / 6 months. It kills tough existing weeds and controls new weeds for 2 / 3 / 4 / 5 / 6 months.
- For more great tips and offers. ***[insert Internet site address]***
- For use on cool and warm season turfgrass
- Greens quickly and Feeds Up to 2 / 3 / 4 / 5 / 6 months
- Greens in 72 hours
- Greens in 72 hours and contains time-released nitrogen for extended feeding.
- homedepotgardenclub.com
- Improves nutrient deficient lawns
- Iron enriched [formula]
- Join the [name] Garden Club
- Kills Dollarweed & [1, 2, 3, ...47] other major lawn weeds [as listed]
- Kills Dollarweed & Over [1, 2, 3, ...47] Other Weed Types! [as listed]
- Kills the Weeds Not the Lawn
- Kills tough weeds like [dandelion, dollarweed, clover, ...or insert any weed found in the approved weed list]
- Kills weeds [and fertilizes the lawn]
- Lawn care made easy with [program name]
- Lawn Food with/plus/+ Weed Control
- Long-lasting Feeding
- Made in the USA with Foreign and Domestic Inputs for [X retailer name, address, phone, website]
- Maximize your lawn
- Membership is Free!
- Membership is free! ***[insert company web address]***
- Money Back Guarantee: If you are not completely satisfied with this product, please mail your name, address and proof of purchase (package UPC) and a brief explanation for seeking a refund
- More particles for even feeding and greening
- No / Non Burn / Burning Formulation / Formula
- No burning... guaranteed (!)
- No lawn burn... guaranteed (!)
- Our Best Annual Program
- Phosphorus [Phosphate] free [formula] (Approved for use ONLY on Phosphorus-Free Fertilizer/Carrier blends)
- Phosphorus-Free (Approved for use ONLY on Phosphorus-Free Fertilizer/Carrier blends)
- Promotes Thick Green Growth and Controls over [1, 2, 3, ...47] weed types including [dandelion, dollarweed, clover, ...or insert any weed found in the approved weed list]
- Quick greening plus extended nutrition / formulation / formula
- Rich Green Lawn/Turfgrass
- Slow release nitrogen feeds your lawn over [x] months. [Note: The "x" represents the amount of months the fertilizer feeds depending on what we use (i.e. methylene urea, PCSCU)]
- Smaller particles for even feeding and greening
- Spring
- STA-GREEN® is a registered trademark of LF, LLC. All rights reserved.
- STA-GREEN® is used under license to [insert company name].
- The Ace Promise is in Every Bag

Bold, italicized text is information for the reader and is not part of the label.

EPA Reg. No. 538-NEW

[Bracketed information is optional text. Text separated by / denotes and/or options.

- The easy path/step/guide to a better lawn
- This Bag Treats Up To _____ Square Feet
- Use for a beautiful weed free lawn
- Use on [bentgrass, Kentucky bluegrass, bermudagrass, or insert any grass type found in the Established Cool Season Turfgrass and / or Established Warm Season Turfgrass lists found in Directions for Use] lawns
- Use on St. Augustinegrass (including Floratam), Zoysiagrass, Centipede and Carpetgrass Lawns Only
- Works the first time or your money back! [**ICON**]
- **XX%** more particles for even [nutrient] distribution and even / consistent / uniform feeding and greening* *versus original Vigoro
- **XX%** more particles for even [nutrient] distribution* *versus original Vigoro
- **XX%** more particles for even feeding and greening* *versus original Vigoro
- Zero Phosphorus (Approved for use ONLY on Phosphorus-Free Fertilizer/Carrier blends)

[**ICON**: X - X - X]

Nitrogen, Phosphorus, Potash / Potassium

[N] Nitrogen for greening / Slow release nitrogen for continuous feeding / For lush, green plant growth

[P] Phosphorus helps develop a stronger, hardier root system

[K] Potassium / Potash is vital for growth. Improves plant hardiness and drought resistance / For overall plant vigor

Why fertilize the / your lawn?

While it is easy to see that / a satisfying deep green / greening when you fertilize, regular feedings [can] actually do much more...

- Promote a deep and dense root system that is better able to reach water and find nutrients during tough heat & drought, so lawn stays greener, longer and bounces back faster
- Thicken lawn with new /additional blades of grass, making it more resistant to bare spots and thinning
- Help prevent weeds by making it difficult for weed[s] [seeds in the air] to find soil to root, [as well as] / [and] crowd out existing weed[s] [seeds in the soil]

Feed every 8 weeks for optimal results

[Recommended] Next Feeding

[**ICON**: bag] Vigoro® Southern / St. Augustine Weed & Feed – Apply anytime weeds are actively growing* *maximum of 2 applications per year

or [use]

[**ICON**: bag] Vigoro® Lawn Fertilizer – Apply anytime during the growing season

[[**ICON**] Unfed Lawn v. / vs. [**ICON**] Regularly fed Lawn]

[[**ICON**] Unfed Lawn]

[[**ICON**] 1 annual feeding]

[[**ICON**] 2 annual feedings]

[Swiss Farms Products, Inc. / Vigoro Guarantee[®]]

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us proof of purchase and we will mail you a refund check promptly.

Scotts / Policy [No-Quibble / Consumer] Guarantee[®]

[To the extent of applicable law,] if for any reason you [the customer / consumer] are not satisfied [with [the] results] after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund [check] promptly.

[The **Insert Brand Name** Promise] If this [Ace] product, when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where purchased for free replacement of the same or similar item.

Bold, italicized text is information for the reader and is not part of the label.

EPA Reg. No. 538-NEW

[Bracketed information is optional text. Text separated by / denotes and/or options.

[***Insert Brand Name*** Guarantee] [When you chose ***Insert Brand Name*** products, you can be assured of high quality and performance in you lawn [and garden]. If for any reason you are not completely satisfied with this product, we will refund your money. Please send proof of purchase and original register receipt to our address. We will promptly send you a refund check.

Questions / Comments / Medical / Information[?]

Lawn Questions?

Have questions or need advice?

ICON – phone

Ace Customer Care

Insert Phone Number

Open Monday through Saturday 9:00 a.m. to 5:00 p.m. Eastern time

ICON – computer mouse

ICON – computer

Visit us on the internet or call our customer satisfaction hotline **Insert Company Address / Phone number / Website**

Tips for Lawncare Success:

[icon: granules falling on grass] **Feed Regularly**

Regular feedings provide the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought & family activity.

Benefits of Multiple Feedings [art] one annual feeding [art] 2-3 annual feedings [art] 4 annual feedings

[icon: lawn mower] **Mow and Leave the Grass Clippings on Your Lawn**

[ICON: X - X - X]

Nitrogen, Phosphorus, Potash / Potassium

[N] Nitrogen for greening / Slow release nitrogen for continuous feeding / For lush, green plant growth

[P] Phosphorus helps develop a stronger, hardier root system

[K] Potassium / Potash is vital for growth. Improves plant hardiness and drought resistance / For overall plant vigor

Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively. Grass clippings recycle the plant nutrients back into the soil.

[Water Smart™ logo][Water Smart Makes The Most Of Every Drop™] **Conserve Water** Well-fed lawns are more efficient at using available water. Feeding with Scotts [fertilizer/lawn food] helps grow/build a thick lawn with more roots to better absorb water and nutrients than an unfed lawn. This helps protect your lawn against heat drought and other stresses. Remember your lawn will begin to wilt when water is needed. As much as possible take advantage of nature's sprinkler and rely on the rain to water your lawn.

Scotts & Your Environment [art]

We care. Scotts products are designed with care to grow thicker, greener lawns.

A Green Lawn Is A Good Lawn. A healthy lawn can clean the air, produce oxygen and prevent runoff and soil erosion.

You can make a difference. Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back onto your lawn.

OPTIONAL CONTACT INFORMATION

- Questions / Comments / Medical / Information[?]
- Lawn Questions?
- Have questions or need advice?
- **ICON** – phone

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text. Text separated by / denotes and/or options.

EPA Reg. No. 538-NEW

- Ace Customer Care
- ***Insert Phone Number***
- Open Monday through Saturday 9:00 a.m. to 5:00 p.m. Eastern time
- ***ICON*** – computer mouse
- ***ICON*** – computer
- Visit us on the internet or call our customer satisfaction hotline ***Insert Company Address / Phone number / Website***
- Visit [our website] [www.scotts.com] ***Insert Company Website***

[Distributed / Sold / Manufactured / Guaranteed by / for]
Swiss Farms Products, Inc.
3993 Howard Hughes Pky, Suite 250
Las Vegas, NV 89169-6754

Get expert advice for your lawn now.

Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.

Contact the experts at scotts.com

SCOTTS...the lawn people

Questions? [Call] [now] ***insert company phone number*** [icon – phone]
Insert company website [icon – computer mouse]

[Questions/Information]

[icon - phone]

Call/ Consumer Helpline/ phone toll-free/ Scott's [toll-free] consumer hotline/ Contact Us
1-800-543-TURF (8873)
[Open 8:00 a.m. to 5:00 p.m. Eastern time]

[icon – computer mouse]

[Visit [our website]]

www.scotts.com

Scotts / Policy [No-Quibble / Consumer] Guarantee[®]

[To the extent of applicable law,] if for any reason you [the customer / consumer] are not satisfied [with [the] results] after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund [check] promptly.

[Swiss Farms Guarantee] [When you chose Swiss Farms products, you can be assured of high quality and performance in your lawn [and garden]. If for any reason you are not completely satisfied with this product, we will refund your money. Please send proof of purchase and original register receipt to our address. We will promptly send you a refund check.

Join the Home Depot Garden Club – For more great tips and offers. [www.homedepotgardenclub.com]

Note to PM: Vigoro products are exclusively sold at Home Depot and the Garden Club Claim will only be used on Vigoro branded products

[Swiss Farms] Promise Satisfaction Guaranteed] / [The [Swiss Farms] Promise is in Every Bag]

[The [Swiss Farms] Promise] If this product, when used for its intended purpose, fails to give you complete satisfaction, return the item to the [Swiss Farms Retail] store where purchased for free replacement of the same or similar item.

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text. Text separated by / denotes and/or options.

EPA Reg. No. 538-NEW

UNCONDITIONALLY GUARANTEED

If you are not satisfied with the results from using this product, we will refund your purchase price. Send evidence of your purchase to:

The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041

[NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage, or handling of this product not in accordance with directions.]

U.S. Patent No. X,XXX,XXX (***patent information will be added to FPL***)

EPA Reg. No. 538-NEW

EPA Est. No. XX-XX-X

[Superscript used is first letter of run code on end of container]

Scotts®, SpeedyGreen®, EasyGreen®, AccuGreen®, Basic™, Standard™, and Deluxe™ Edgeguard® are trademarks of OMS Investments, Inc.

[icon] [Distributed by/Manufactured by [for]]:
[Sold and guaranteed by:]
The Scotts Company
14111 Scottslawn Rd.
Marysville, Ohio 43041

© Year The Scotts Company LLC [Company Name]. World rights reserved.

© 20XX [Licensed by] Swiss Farms Products, Inc. / The Scotts Company LLC / ***Insert Company Name***

World rights reserved

[Made for Ace Hardware Corporation ***Insert Address***]

[Made for True Value Company ***Insert Address***]

[Product of] [Made in] [Country Name] [U.S.A.]